

SI-AT-22 Supported consumables parameter

v90 (fractional)

For detailed list of supported items, check the operating instructions of relevant consumables.

	AT qualified versions and sizes
Text	Preferred tool
Text	Optional tool
	AT qualification not yet available
	Version / Size not existing in portfolio

KB1 | Expansion Anchor

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"	1"
KB1		4	4 & 6	4 & 6	6	

KB3 | Expansion Anchor

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"	1"
KB3 HDG						
KB3 SS 304		4	4	4		
KB3 SS 316		4	4	4		

KB TZ2 | Expansion Anchor

Legend:	
4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"	1"
KB-TZ2		4	4 & 6	4 & 6	6	
KB-TZ2 SS 304		4	4 & 6	4 & 6	6	
KB-TZ2 SS 316		4	4 & 6	4 & 6	6	

HSL4 | Expansion Anchor

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HSL4	4	4 & 6	4 & 6	4 & 6	6	6
HSL4-G	4	4 & 6	4 & 6	4 & 6	6	6
HSL-4 Pax		4				

HBC | T-Bolts

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
HBC 40/22			4	4		
HBC-N 40/22						
HBC 50/30			4	4	4	
HBC-N 50/30						
HBC-B		4	4			
HBC-T			4 & 6	4 & 6	6	
HBC-C		4	4 & 6	4 & 6	4 & 6	
HBC-C-E			4 & 6	4 & 6		
HBC-C-N			4			

KH-EZ | Screw

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"
KH-EZ		6	6	6	6
KH-EZ C		6			
KH-EZ SS316		6	6		
KH-EZ C SS316		6			
KH-EZ CRC		6	6	6	6
KH-EZ I		6			

KH | Screw

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	1/4"	3/8"	1/2"	5/8"	3/4"
KH		6	6	6	6

v90 (fractional)

HIT-Z Metric

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

Qualified Mortars:

→ HY-200 A/R V3

	M6	M8	M10	M12	M16	M20	M24
HIT-Z			4	4 & 6	4 & 6	6	
HIT-Z-R			4	4 & 6	4 & 6	6	

HIT-Z

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

Qualified Mortars:

→ HY-200 A/R V3

	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"
HIT-Z		4	4 & 6	4 & 6	6		
HIT-Z-R		4	4 & 6	4 & 6	6		

Fractional rods

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

Qualified Mortars:

→ HY-200 A/R V3, RE500 V3, HY100, RE100, HVU2

	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1-1/4"
HAS-V-36		4	4 & 6	4 & 6	6		6	
HAS-V-36 HDG		4	4 & 6	4 & 6	6		6	
HAS-E-55		4	4 & 6	4 & 6	6	6	6	
HAS-B-105		4	4 & 6	4 & 6	6		6	
HAS-B-105 HDG		4	4 & 6	4 & 6	6	6	6	
HAS-R 304 SS								
HAS-R 316 SS		4	4 & 6	4 & 6	6	6	6	

v90 (fractional)

MT-TL | Twist-Lock channel nut

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TL		4 & 6				
MT-TL OC		4 & 6				

MT-TFB OC | Thread forming bolt

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-TFB OC		4 & 6				

B OC | T-Head Bolt

Legend:

4	SIW 4AT-22 & SI-AT-22
6	SIW 6AT-22 & SI-AT-22

	M8	M10	M12	M16	M20	M24
MT-THB OC			4 & 6			